

Figure 1




Figure 2




Figure 3




Figure 4






Figure 5








Figure 6



200; average n = approximately 503 (PEG 20K)
201; average n = approximately 114 (PEG 5K)
205; average n = approximately 261 (PEG 12K)
301; average n = approximately 682 (PEG 30K)




202; average n = approximately 503 (PEG 20K)




203; average n = approximately 125 (PEG 5K)
total PEG = 20K


Figure 7




Formula 9




Formula 10



Formula 11



Formula 12



Formula 13

Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14





Figure 15



300, n = approx. 503

Figure 16




Figure 17






Figure 18


gga	cg	acc	tgt	ccc	aag	cca	gat	gat	tta	cca	ttt	tcc	aca	gtg	gtc	48
Gly	Arg	Thr	Cys	Pro	Lys	Pro	Asp	Asp	Leu	Pro	Phe	Ser	Thr	Val	Val	
1				5					10				15			
ccg	tta	aaa	aca	ttc	tat	gag	cca	gga	gaa	gag	att	acg	tat	tcc	tgc	96
Pro	Leu	Lys	Thr	Phe	Tyr	Glu	Pro	Gly	Glu	Glu	Ile	Thr	Tyr	Ser	Cys	
				20				25				30				
aag	ccg	ggc	tat	gtg	tcc	cga	gga	ggg	atg	aga	aag	ttt	atc	tgc	cct	144
Lys	Pro	Gly	Tyr	Val	Ser	Arg	Gly	Gly	Met	Arg	Lys	Phe	Ile	Cys	Pro	
				35				40				45				
ctc	aca	gga	ctg	tgg	ccc	atc	aac	act	ctg	aaa	tgt	aca	ccc	aga	gta	192
Leu	Thr	Gly	Leu	Trp	Pro	Ile	Asn	Thr	Leu	Lys	Cys	Thr	Pro	Arg	Val	
				50				55				60				

Figure 19



Domain 1 of $\beta_2\text{GPI}$ (D_1 , where bold letters stand for single letter amino acid code of terminal amino acids of Domain 1 of $\beta_2\text{GPI}$)

\downarrow
pH 5.5
1-2 M NaOAc
 CuSO_4
glyoxylic acid



Transaminated Domain 1 (TA/D1)
Comprising a terminal glyoxyl group

Figure 20